Closed Stringer Specification Sheet



STAIR TYPE

Closed stringer and tread

LHS STRINGER

Closed stringer 290x32

RHS STRINGER

Closed stringer 290x32

NOSING TYPES

8mm round 20mm overhang



Square Flush with shadowline detail



Square Flush



Square 20mm overhang



TREAD

290x32 timber 290x25 MDF

RISERS


190x18 timber 190x16 MDF

Colours are diagrammatic only for visual improvement









View product at https://thestairfactory.com.au/services/closed-riser-staircases/

Cut Stringer Specification Sheet



STAIR TYPE

Cut Stringer Closed tread

LHS STRINGER

Closed 290x32 (can be cut as well)

RHS STRINGER

Cut stringer 290x32

NOSING TYPES

8mm round 20mm overhang (usually has overhang on side of cut stringer as well)



Square Flush (usually finishes with side of cut stringer)



Square Flush with shadowline detail (usually finishes flush with side of cut stringer)



Square 20mm overhang (usually has overhang on side of cut stringer as well)



TREAD

290x32 timber 290x25 MDF

RISERS

190x18 timber 190x16 MDF

Colours are diagrammatic only for visual improvement









View product at https://thestairfactory.com.au/services/cut-string-staircases/

Cut and Mitred Stringer Specification Sheet



STAIR TYPE

Cut and Mitred stringer

LHS STRINGER

Closed 290x32 (can be cut stringer)

RHS STRINGER

Square Flush

Cut and Mitred 290x32

NOSING TYPES

8mm round 20mm overhang (usually overhangs cut stringer as well)



(usually finishes flush with cut stringer)



Square Flush with shadowline detail (usually finishes flush with cut stringer as well)



Square 20mm overhang (usually overhangs cut stringer as well)



TREAD

290x32 timber 290x25 MDF


RISERS

190x18 timber 190x16 MDF

Colours are diagrammatic only for visual improvement









View product at https://thestairfactory.com.au/services/cut-mitred-string-staircases/

Open Tread Closed Stringer Specification Sheet



STAIR TYPE

Open tread

LHS STRINGER

Closed 290x32 or 290x44

RHS STRINGER

Closed 290x32 or 290x44

NOSING TYPES

8mm round with cleat under 20mm overhang



8mm round with 20mm overhang (for 62mm treads)



Square with cleat under 20mm overhang



Square with 20mm overhang (for 62mm treads)



Square flush with shadowline detail



TREAD

290x44 timber 290x62 timber

RISERS

None for 62mm treads Cleat under for 44mm treads

Colours are diagrammatic only for visual improvement







View product at https://thestairfactory.com.au/services/open-tread-closed-string-staircases/

Open Tread Cut Stinger Specification Sheet



STAIR TYPE

Open tread cut stringer

LHS STRINGER

Closed 290x32 timber

RHS STRINGER

Cut 350x44 timber

NOSING TYPES

8mm round 20mm overhang (62mm treads only)



Square 20mm overhang with cleat under



Square 20mm overhang (62mm treads only)



Square flush with shadowline detail



8mm round 20mm overhang with cleat under



TREAD

290x44 timber 290x62 MDF

RISERS

None for 62mm treads Cleat under for 44mm treads

Colours are diagrammatic only for visual improvement







View product at https://thestairfactory.com.au/services/open-tread-cut-string-staircases/

Cantilever Tread Specification Sheet



STAIR TYPE

Open tread cut stringer

LHS STRINGER

Closed 290x32 timber

RHS STRINGER

Cut 290x44 timber Cut 290x44 timber Cut 290x64 timber Cut 350x44 timber

NOSING TYPES

8mm round 20mm overhang (62mm treads only)




Square 20mm overhang (62mm treads only)



8mm round 20mm overhang with cleat under



Square 20mm overhang with cleat under



Square flush with shadowline detail



TREAD

290x44 timber 290x62 timber

Colours are diagrammatic only for visual improvement

View product at https://thestairfactory.com.au/services/cantilever-staircase/



RISERS

None for 62mm treads Cleat under for 44mm treads